

EQUIPMENT

Audio System


- Two types of audio systems, AM/FM tuner and AM/FM tuner and CD player, are available as optional equipment.
- The AM/FM tuner and CD player audio system has a CD-TEXT display function that displays the text information when playing CDs that contain CD text, and this system also has MP3*1 and WMA*2 format playback functions.

*1: MPEG Audio Layer-3 *2: Windows Media Audio


▶ Head Unit Specifications ◀

Design	Specification	Provided
 00RMO44Y	● AM/FM Tuner ● Manufacture: Panasonic	U.S.A.: Standard Canada: Option
 00RMO45Y	● AM/FM Tuner ● CD Player ● CD-TEXT Display Function ● MP3 and WMA Playback Function ● Manufacture: Fujitsu TEN	U.S.A.: Option Canada: Option

▶ Speaker Location ◀



3-Door Hatchback Model




5-Door Hatchback Model

▶ Speaker Specification ◀

Type		Caliber	Impedance	Input Range
(1)	Front Door	16.0 cm	4 Ω	20 W
(2)	Quarter Trim	14.0 cm	4 Ω	20 W
(3)	Rear Door			

Air Conditioning System

- Manual air conditioning is available as optional equipment.
- A heater is provided as standard equipment on the U.S.A. models, and a partial recirculation system and PTC (Positive Temperature Coefficient) heater is available as optional equipment.
- The heater and partial recirculation system and PTC heater are provided as standard equipment on the Canada models.




00RMO47Y

Manual A/C Model

Wireless Door Lock Remote Control System

A wireless door lock remote control system with a panic button and answer back function which blinks the hazard warning lights when locking or unlocking is available as optional equipment.




00RMO58Y


Windshield and Door Glass

The windshield and door glasses are provided as follows:

Glass Portion	Windshield	Front Door Glass	Rear Quarter Glass (for 3-Door Model)	Rear Door Glass (for 5-Door Model)	Back Door Glass
Glass Type	Green	UV Reduction Green	UV Reduction Green		UV Reduction Green




3-Door Hatchback Model




5-Door Hatchback Model

Washer System


- Spray type washer nozzles are provided on the cowl louver.
- The spray type washer nozzle sprays the washer fluid over a wide area by spraying it in a fan shape.
  The washer fluid volume sprayed in the center of the spray area has been reduced so as not to hinder the driver's view when the washer system is operated.



00RMO49Y



00RMO50Y



00RMO51Y

NOTICE:

The construction of the spray type washer nozzle does not allow adjustment of the spray angle.
Do not adjust the spray angle as this could damage the washer nozzle.
To change the spray angle, replace the nozzle by a nozzle with a different spray angle.
For details, refer to the 2006 Yaris Repair Manual (Pub. No. RM00R0U).